

APPENDIX I

REFERENCES USED TO DEVELOP THIS TRAMAN

Chapter 4

Blueprint Reading and Sketching, NAVEDTRA 10077-F1, Naval Education and Training Program Development Center, Pensacola, FL, 1991.

Construction Electrician 3 & 2, NAVEDTRA 10636-J, Naval Education and Training Program Development Center, Pensacola, FL, 1988.

Electrician's Mate 3 & 2, NAVEDTRA 10546-F, Naval Education and Training Program Development Center, Pensacola, FL, 1988.

Chapter 7

Cathodic Protection Systems Maintenance, NAVFAC MO-307, Naval Facilities Engineering Command, Alexandria, VA, 1981.

National Standard Plumbing Code, National Association of Plumbing-Heating-Cooling Contractors, 1016 20th St. N.W., Washington, DC, 1987.

Plumbing and Pipefitting, TM 5-551K, Chapter 10, Department of the Army, Washington, DC, 1971.

Chapter 8

Carbon Dioxide Extinguishing Systems, NFPA 12, National Fire Protection Association, Batterymarch Park, Quincy, MA, 1980.

Deluge Foam Water Sprinkler and Spray Systems, NFPA 16, National Fire Protection Association, Batterymarch Park, Quincy, MA, 1980.

Dry Chemical Extinguishing Systems, NFPA 17, National Fire Protection Association, Batterymarch Park, Quincy, MA, 1980.

Fire Protection for Facilities Engineering, Design, and Construction MIL-HDBK-10089B, Department of defense, 1994.

Installation of Sprinkler Systems, NFPA 13, National Fire Protection Association, Batterymarch Park, Quincy, MA, 1983.

Maintenance of Fire Protection Systems, NAVFAC MO-117, Naval Facilities Engineering Command, Alexandria, VA, 1981.

Protection for Facilities Engineering, Design, and Construction, MIL-HDBK-1008B, Department of Defense, 1994.

Chapter 9

Maintenance and Operation of Water Supply, Treatment and Distribution Systems, NAVFAC MO-210, Naval Facilities Engineering Command, Alexandria, VA, 1984.

Water Purification Unit, Reverse Osmosis 600-GPH Trailer Mounted, TM-5-4610-215-24, Department of the Army, Washington, DC, 1983.

Water Supply Point Equipment and Operation, FM-10-52-1, Headquarters Department of the Army, Washington, DC, 1991.

Chapter 10

National Standard Plumbing Code, Illustrated, National Association of Plumbing-Heating-Cooling Contractors, Falls Church, VA, 1990.

Chapter 11

Compressed Air and Vacuum Systems, NAVFAC DM-3.5, Naval Facilities Engineering Command, Alexandria, VA, 1983.

Maintenance of Steam, Hot Water and Compressed Air Distribution Systems, NAVFAC MO-209, Naval Facilities Engineering Command, Alexandria, VA, 1989.

Operation and Maintenance of Air Compressor Plants, NAVFAC MO-206, Naval Facilities Engineering Command, Alexandria, VA, 1989.

Chapter 12

Boiler Technician 1 & C, NAVEDTRA 10536-F, Naval Education and Training Program Development Center, Pensacola, FL, 1985.

Central Boiler Plant, TM-5-650, Headquarters, Department of the Army, Washington, DC, 1989.

Inspection and Certification of Boilers and Unfired Pressure Vessels, NAVFAC MO0324, Naval Facilities Engineering Command, Alexandria, VA, 1990.

Maintenance of Steam, Hot Water and Compressed Air Distribution, NAVFAC MO-209, Naval Facilities Engineering Command, Alexandria, VA, 1989.

Chapter 13

ASHRAE Handbook of Fundamentals, American Society of Heating, Refrigerating, and Air-conditioning Engineers, Atlanta, GA, 1985.

Mechanical Heating, Ventilating, Air-Conditioning, and Dehumidifying Systems, NAVFAC DM-3.03. Naval Facilities Engineering Command, Alexandria, VA, 1987.

Chapter 14

ASHRAE Handbook of Fundamentals, American Society of Heating, Refrigerating, and Air-conditioning Engineers. Atlanta, GA, 1985.

Chapter 15

Rules and Regulations, EPA Federal Register, Volume 58, Number 92, 40 CFR Part 82, 1993.

Natale, Anthony and Hoag Levins, Asbestos Removal & Control, An Insiders Guide to the Business, J. Levins Design Inc., Cherry Hill, NJ, 1984.

Navy Occupational Safety and Health (NAVOSH) Program Manual, OPNAVINST 5100.23B, Chapter 17, "Asbestos," Department of the Navy, Office of the Chief of Naval Operations, Washington, DC, 1983.

Chapter 16

Solar Heating of Buildings and Domestic Hot Water, MIL-HDBK-1003/13A, Port Hueneme, CA, 1985.

INDEX

A

- Air balancing instruments, 13-10 to 13-13
 - manometer, 13-12 to 13-13
 - miscellaneous instruments, 13-13
 - rotating vane anemometer, 13-13
 - velometer, 13-11 to 13-12
- Air compressors and auxiliary equipment, 11-5 to 11-23
 - aftercoolers, 11-12
 - air quality, 11-2 to 11-5
 - air intakes, 11-8 to 11-11
 - air for pneumatic tools, 11-4
 - air discharge systems, 11-13
 - auxiliary equipment, 11-8 to 11-23
 - breathing air, 11-3 to 11-4
 - commercial air, 11-3
 - compressors, 11-5 to 11-8
 - controls, 11-17 to 11-20
 - distribution system maintenance, 11-27
 - distribution systems, 11-23 to 11-26
 - dryers, 11-15
 - high-pressure systems, 11-2
 - high-pressure air systems, 11-4 to 11-5
 - instrument and control air, 11-4
 - intake filters, 11-11
 - intercoolers, 11-12
 - lubrication, 11-15 to 11-16
 - maintenance, 11-27
 - prime movers, 11-20 to 11-23
 - receivers, 11-15
 - separators, 11-13 to 11-15
 - silencers, 11-11 to 11-12
- Air conditioning and refrigeration, 14-1 to 14-29
 - absorption refrigeration system, 14-5
 - anticipators, 14-12(A)
 - automatic expansion valve, 14-14
 - capacitors, 14-23 to 14-24
 - capacitor-start, capacitor-run, 14-16 to 14-17
 - capacitor-start, induction-run, 14-16
 - capacitor test, 14-25
 - cascade system, 14-6 to 14-7
 - compound system, 14-7 to 14-9
 - compressors, 14-11
 - condensers, 14-9
 - equipment and test procedures for
 - electrical circuit components, 14-18 to 14-25
 - electrical troubleshooting, 14-18 to 14-21
 - evaporators, 14-10 to 14-11
 - grounded windings, 14-20 to 14-21
 - heat load calculations and air movement, 14-1 to 14-3
 - hermetic electrical schematic wiring diagrams, 14-25 to 14-26
 - hot and chilled water, 14-1
 - mechanical component selection, 14-9 to 14-16
 - megohmmeter (high-resistance) test procedure, 14-21
 - multistage refrigeration system, 14-6 to 14-9
 - ohmmeter continuity test procedure, 14-18 to 14-20
 - overload protectors, 14-23
 - permanent split-phase 14-17
 - receivers and accumulators, 14-14(B) to 14-15
 - refrigerant lines and piping, 14-12(A) to 14-12(B)
 - run capacitors, 14-23
 - systems, 14-3 to 14-9
 - selection and installation of an air-conditioning system, 14-1 to 14-3
 - shorted windings, 14-19 to 14-20

- single-phase hermetic motor windings, 14-16 to 14-18
- start capacitors, 14-23
- thermal expansion valve, 14-14(A)
- thermal expansion valve adjustment, 14-14(A)
- single-phase hermetic motors, 14-16
- split-phase, 14-17
- spray system, 14-6
- starting relays, 14-21 to 14-22
- superheat, 14-14(B)
- testing motor windings, 14-18 to 14-21
- thermoelectric refrigeration system, 14-6
- thermostats, 14-12 to 14-12(A)
- Air pollution, 16-2 to 16-3
 - air quality requirements, 11-2 to 11-5
 - asbestos, 16-2
 - classes of air entrapment, 11-2 to 11-3
 - gases or fumes, 11-2 to 11-3
 - instrument and control air, 11-4
 - medical air, 11-4
 - oil, 11-3
 - pesticides, 16-3
 - specific air quality requirements, 11-3 to 11-5
 - water, 11-3
- Alternative water sources, 9-13 to 9-14
- Asbestos, 16-2
- As-built drawings, 4-13
- Automatic sprinkler system
 - characteristics, 8-1 to 8-18
 - combined, 8-9
 - dry pipe, 8-2 to 8-7
 - pre-action, 8-8 to 8-9
 - sprinkler system detection and indicating devices and fittings, 8-12 to 8-18
 - supervisory alarm initiating devices, 8-15 to 8-18
 - types of sprinklers, 8-9 to 8-12

- types of sprinkler systems, 8-1 to 8-9
- water deluge, 8-7 to 8-8
- water-flow actuated detectors, 8-12 to 8-15
- wet pipe, 8-1

B

- Balancing duct systems, 13-10 to 13-16
 - air balancing instruments, 13-10 to 13-13
 - duct and outlet adjustments, 13-16
 - manometer, 13-12 to 13-13
 - miscellaneous instruments, 13-13
 - preparation for balancing, 13-13 to 13-14
 - procedures for balancing, 13-14 to 13-16
 - rotating vane anemometer, 13-13
 - velometer, 13-11 to 13-12
- Bill of material, 4-5 to 4-6
- Block diagrams, 4-7
- Blueprint reading and technical
 - drawings, 4-1 to 4-19
 - as-built drawings, 4-13
 - bill of material, 4-5 to 4-6
 - block diagrams, 4-7
 - blueprint language, 4-2 to 4-6
 - blueprint reading, 4-1 to 4-2
 - chapter references, 4-19
 - connection diagrams, 4-8
 - construction drawings, 4-5
 - development of construction drawings, 4-1
 - electrical symbols and abbreviations, 4-3
 - electrical wiring and mechanical diagrams, 4-6 to 4-10
 - electronic symbols and diagrams, 4-11 to 4-18
 - exterior elevation drawings, 4-5
 - floor plan, 4-5
 - interior elevation drawings, 4-5
 - isometric wiring diagrams, 4-7
 - plot plan, 4-5

- preliminary drawings, 4-1
- presentation drawings, 4-1
- schedules, 4-13
- schematic/single-line diagrams, 4-8 to 4-10
- sectional or detail drawings, 4-5
- shop working drawings, 4-1
- specifications, 4-13
- types and weights of lines
 - on drawings, 4-2 to 4-3
- wiring diagrams, 4-7 to 4-8
- working sketch, 4-11 to 4-12
- Boilers, 12-1 to 12-43
 - accessories, 12-2 to 12-5
 - blowoff valves, 12-26
 - boiler room, 12-2
 - boiler auxiliaries, 12-27
 - boiler safety and water-pressure relief valves, 12-26 to 12-27
 - boiler foundation, 12-1 to 12-2
 - care of boilers firesides, 12-39(C) to 12-40
 - care of boiler watersides, 12-40 to 12-41
 - carry-over-foaming and priming, 12-35 to 12-36
 - chemical makeup of water, 12-31
 - chemical treatment determination, 12-36 to 12-37
 - chemical treatment (external and internal), 12-31
 - controls, 12-24
 - corrosion, 12-35
 - fittings, 12-6 to 12-9
 - hydrostatic tests, 12-13 to 12-14
 - installation of boilers, 12-1 to 12-9
 - internal treatment and prevention, 12-31 to 12-37
 - laying up a boiler by the dry method, 12-42
 - laying up a boiler by the wet method, 12-42
 - laying up idle boilers, 12-41 to 12-42
 - location, 12-1
 - logs, 12-28 to 12-39
 - maintenance, 12-37 to 12-42
 - maintenance programs, 12-37 to 12-39(C)
 - operator maintenance, 12-38
 - operators, 12-27 to 12-29
 - plant operation, 12-27 to 12-37
 - plant supervisor, 12-30
 - pressure-reducing valves, 12-26
 - prevention and treatment for oxygen corrosion, 12-35
 - prevention and treatment for scale control, 12-33 to 12-34
 - prevention and treatment for sludge control, 12-34
 - prevention and treatment for carry-over foaming and priming, 12-36
 - preventive maintenance, 12-38
 - refractory inspection, 12-14 to 12-16
 - scale, 12-31 to 12-33
 - site selection, 12-1 to 12-2
 - sludge, 12-34
 - steam and water piping, 12-25
 - stop and check valves, 12-26
 - turnover/watch relief, 12-29
 - water columns and gauge glasses, 12-25
 - water chemistry, 12-30
- Boiler inspection, 12-10
 - exterior of drums and headers, 12-24
 - firesides, 12-14 to 12-24
 - five-year inspection, 12-14
 - operational tests, 12-24 to 12-27
 - protection, seal, and support plates, 12-24
 - tube inspection, 12-16 to 12-24
 - uptakes and smoke pipes, 12-24
 - waterside boiler tubes, 12-10 to 12-12
 - waterside drums and headers, 12-13

C

Capacitors, 14-23

cesspools, 10-34 to 10-37

Characteristics of sewage, 10-3 to 10-8

 bacteria, 10-8

 biological characteristics, 10-8

 chemical characteristics, 10-5 to 10-8

 color, 10-3

 dissolved oxygen, 10-6 to 10-7

 nutrients, 10-7

 odor, 10-4

 oxygen demand, 10-7

 parasites, 10-8

 pH, 10-5 to 10-6

 physical characteristics, 10-3 to 10-5

 solids, 10-4 to 10-5

 temperature, 10-3

 toxic chemicals, 10-7 to 10-8

 viruses, 10-8

 wastewater composition, 10-3

Chemical characteristics of water, 9-16 to 9-19

 dissolved gases, 9-18 to 9-19

 hardness, 9-16 to 9-18

 sizing distribution systems, 11-23

Condensers, 14-9

Connection diagrams, 4-8

Corrosion prevention and protection, 7-19 to 7-25

 asphalt, 7-24

 bacterial organisms, 7-23

 coal tar, 7-24

 coatings and wrappings, 7-24 to 7-25

 compositional, 7-22

 concrete, 7-24 to 7-25

 corrosion caused by electrolytes, 7-23

 corrosion caused by non-electrolytes, 7-22 to 7-23

 grease, 7-24

 localized, 7-20 to 7-22

 metallic, 7-25

 paint, 7-24

 plastic wrapping, 7-25

types of corrosion, 7-20 to 7-23

D

Development of water sources,

 9-7 to 9-14

 water sources, 9-13 to 9-14

 groundwater development, 9-10 to 9-13

 surface water development, 9-7 to 9-10

Disposing of and monitoring sewage

 effluents, 10-27 to 10-31

 direct discharge to receiving water, 10-27 to 10-28

 discharge for land application (irrigation), 10-28 to 10-29

 discharge for recycling, 10-28

 effluent discharge methods, 10-27

 evaporation and percolation basins, 10-29 to 10-30

 methods of disposing sewage effluents, 10-27 to 10-31

 troubleshooting, 10-30 to 10-31

Distillation, water treatment equipment, 9-23 to 9-26

 installation, 9-25

 theory of operation, 9-23 to 9-24

Dry chemical extinguishing systems, 8-33 to 8-35

 system components, 8-35

 types of systems, 8-34 to 8-35

Duct and ventilation systems, 13-1 to 13-18

 air balancing instruments, 13-10 to 13-16

 balancing duct systems, 13-10 to 13-16

 determine fan performance, 13-14 to 13-26

 duct and outlet adjustments, 13-16

 duct systems, 13-1 to 13-10

 duct construction, 13-6 to 13-9

 fiber glass duct, 13-7 to 13-9

 manometer, 13-12 to 13-13

- mechanical ventilation, 13-18
- miscellaneous instruments, 13-13
- natural ventilation, 13-17 to 13-18
- preparation for balancing, 13-13 to 13-14
- procedure for balancing, 13-14 to 13-16
- rectangular duct, 13-7
- rotating van anemometer, 13-13
- round duct, 13-6 to 13-7
- sizing duct systems, 13-9 to 13-10
- types of duct systems, 13-3 to 13-6
- velometer, 13-11 to 13-12
- ventilation systems, 13-16 to 13-18
- Duct construction, 13-6 to 13-9
 - fiber glass duct, 13-7 to 13-9
 - rectangular duct, 13-7
 - round duct, 13-6 to 13-7
- Duct systems, 13-1 to 13-10
 - duct construction, 13-6 to 13-9
 - fiber glass duct, 13-7 to 13-9
 - rectangular duct, 13-7
 - round duct, 13-6 to 13-7
 - sizing duct systems, 13-9 to 13-10
 - types of duct systems, 13-3 to 13-6

E

- Electrical symbols and abbreviations, 4-3 to 4-5
 - electrical operation, 4-8 to 4-10
- Electrical wiring and mechanical diagrams, 4-6 to 4-9
 - block diagrams, 4-7
 - connection diagrams, 4-8
 - isometric wiring diagrams, 4-7
 - schematic/single-line diagrams, 4-8 to 4-9
 - wiring diagrams, 4-7 to 4-8
- Electronic symbols and diagrams, 4-12
- Environmental pollution control, 16-1 to 16-3
 - air pollution, 16-2 to 16-3
 - asbestos, 16-2
 - water and ground pollution,

- 16-1 to 16-2
- pesticides, 16-3
- refrigerants, 16-3

F

- Fire protection system, 8-1 to 8-35
 - advantages/disadvantages of CO₂ systems, 8-26
 - alarm check valves, 8-20 to 8-21
 - alarm systems, 8-32
 - automatic sprinklers, 8-20
 - automatic sprinkler system characteristics, 8-1 to 8-18
 - carbon dioxide systems, 8-24 to 8-27
 - carbon dioxide low-pressure systems, 8-31 to 8-32
 - cathodic protection equipment, 8-23 to 8-24
 - combined system, 8-9
 - deluge and pre-action valves, 8-23
 - detection and indicating devices, 8-12 to 8-18
 - dry chemical extinguishing systems, 8-33 to 8-35
 - dry pipe system, 8-2 to 8-7
 - gaseous extinguishing systems, 8-24 to 8-33
 - gaseous extinguishing system alarm systems, 8-29 to 8-30
 - halogenated systems, 8-32
 - halogenated gas systems, 8-28 to 8-29
 - halon, 8-28 to 8-29
 - high-pressure systems, 8-25
 - high-speed suppression systems, 8-24
 - initiating devices, 8-30
 - inspection, testing, and maintenance requirements, 8-18 to 8-24
 - inspection and testing, 8-19 to 8-24
 - inspection, testing, and maintenance of gaseous systems, 8-30 to 8-33
 - local application systems, 8-28
 - low-pressure systems, 8-25 to 8-26

- maintenance requirements, 8-24
- nonfreeze systems, 8-24
- nozzles, 8-27
- obstructed piping, 8-20
- outside open sprinklers, 8-20
- piping, 8-26 to 8-27
- pre-action system, 8-8 to 8-9
- release devices and auxiliary functions, 8-32
- sequence of alarms, 8-30
- supervisory alarm initiating devices, 8-15 to 8-18
- total flooding systems, 8-27
- types of systems, 8-34 to 8-35
- water deluge system, 8-7 to 8-8
- water supply requirements, 8-18
- water-flow actuated detectors, 8-12 to 8-15
- wet pipe system, 8-1

G

- Galvanic cathodic protection, 7-25 to 7-28
 - buried pipe locator, 7-27
 - field test equipment for cathodic protection, 7-26 to 7-28
 - galvanic anode method, 7-26
 - impressed current method, 7-26
 - maintenance of anode systems, 7-28
 - maintenance of impressed current systems, 7-28
 - methods of galvanic cathodic protection, 7-25 to 7-26
 - multicombination meter, 7-26 to 7-27
 - protective coating leak detector, 7-27 to 7-28
 - resistivity instruments, 7-27
 - volt-millivoltmeter, 7-26
- Groundwater development, 9-10 to 9-13

H

- Halon, 8-28 to 8-29

- Helical screw compressors, 11-8
- Hermetic electrical schematic wiring diagrams, 14-25 to 14-27
- High-pressure systems, 11-2

I

- Inspection and testing fire protection systems, 8-18 to 8-24
- Installation of boilers, 12-1 to 12-10
 - boiler room, 12-2
 - boiler foundation, 12-1 to 12-2
 - location, 12-1
 - site selection, 12-1 to 12-2
- Isometric wiring diagrams, 4-7

L

- Laying up idle boilers, 12-41 to 12-43
 - dry method, 12-42 to 12-43
 - wet method, 12-42
- Leaching fields, 10-37 to 10-39
- Low-pressure systems, 11-2

M

- Maintenance, boilers, 12-37 to 12-39C
- Maintenance of anode systems, 7-28
- Maintenance of impressed current systems, 7-28
- Maintenance requirements, compressed air systems, 11-26 to 11-27
 - air compressor maintenance, 11-27
 - auxiliary equipment maintenance, 11-27
 - distribution system maintenance, 11-27
 - prime mover maintenance, 11-27
- Maintenance requirements, fire protection systems, 8-24

O

- Open windings, 14-18 to 14-19
 - ohmmeter continuity test procedures, 14-18 to 14-19
 - test lamp continuity check procedure, 14-19

voltmeter test procedure, 14-19
Overload protectors, 14-23

P

Pesticides, 16-3
Planning, estimating, and sizing
plumbing systems, 7-1 to 7-28

- grading, 7-3 to 7-4
- installation considerations, 7-9
- offsets on drainage piping, 7-6
- piping and fitting general requirements, 7-17 to 7-19
- sanitary systems, 7-2 to 7-9
- sizing individual waste lines, 7-6 to 7-8
- sizing cold-water supply systems, 7-11
- sizing sanitary collecting sewers, 7-8 to 7-9
- sizing building storm drains, 7-9 to 7-10
- sizing hot-water supply systems, 7-11 to 7-17
- sizing site storm sewers, 7-10
- sizing stacks and branches, 7-5 to 7-6
- sizing the stacks, 7-6
- sizing building drains, 7-4 to 7-5
- storm drainage systems, 7-9 to 7-10
- water supply systems, 7-10 to 7-19

Procedures for balancing, 13-14 to 13-16

- duct and outlet adjustments, 13-16

R

Receivers and accumulators, 14-14 to 14-16
Reciprocating air compressors, 11-5
Refrigerant capacity controls, 14-14
Refrigerant lines and piping, 14-12 to 14-14

S

Sanitary systems, 7-2 to 7-9

grading, 7-3 to 7-4
offsets on drainage piping, 7-6
sizing building drains, 7-4 to 7-5
sizing individual waste lines, 7-6 to 7-8
sizing sanitary collecting sewers, 7-9 to 7-9
sizing stacks and branches, 7-5 to 7-6
sizing the stack, 7-6

Schematic/singleline diagrams, 4-8 to 4-9

Septic tanks, 10-32 to 10-34

Septic tanks, cesspools, and leaching fields, 10-32 to 10-39

- cesspools, 10-34 to 10-37
- leaching fields, 10-37 to 10-39
- septic tanks, 10-32 to 10-34

Sewage sampling, 10-8 to 10-13

composite samples, 10-9
flow-proportional samples, 10-9 to 10-12

identifying samples, 10-13
grab sampling, 10-8 to 10-9
representative sampling, 10-8
sample stowage, 10-12

Sewage testing, 10-13 to 10-27

activated sludge settleability test, 10-22

alkalinity, 10-23

chemical oxygen demand (COD) test, 10-22 to 10-23

chlorine residual test, 10-23

dissolved oxygen test, 10-15 to 10-22

fecal coliform test, 10-23

five-day biochemical oxygen demand (BOD₅) test, 10-22

hydrogen ion concentration (pH value) test, 10-22

laboratory equipment, 10-14 to 10-15

laboratory records, 10-23 to 10-27

mixed liquor suspended solids (MLSS) test, 10-23

settleable solids test, 10-22

total suspended solids test, 10-23
 Sewage treatment and disposal,
 10-1 to 10-39
 activated sludge settleability test,
 10-22
 alkalinity, 10-23
 bacterial, 10-8
 biological characteristics, 10-8
 cesspools, 10-34 to 10-37
 characteristics of sewage, 10-3 to
 10-8
 chemical characteristics, 10-5 to 10-8
 chemical oxygen demand (COD)
 test, 10-22 to 10-23
 chlorine residual test, 10-23
 color, 10-3
 composite samples, 10-9
 direct discharge to receiving water,
 10-27 to 10-28
 discharge for land application
 (irrigation), 10-28 to 10-39
 discharge for recycling, 10-28
 disposing of and monitoring sewage
 effluents, 10-27 to 10-31
 dissolved oxygen test, 10-15 to 10-22
 dissolved oxygen, 10-6 to 10-7
 domestic sewage, 10-1
 effluent discharge methods, 10-27
 evaporation and percolation basins,
 10-29 to 10-30
 fecal coliform test, 10-23
 five-day biochemical oxygen demand
 (BOD5) test, 10-22
 flow-proportional samples, 10-9 to
 10-12
 grab sampling, 10-8 to 10-9
 hydrogen ion concentration (pH
 value) test, 10-22
 identifying samples, 10-13
 industrial sewage, 10-1 to 10-2
 laboratory equipment, 10-14 to
 10-15
 laboratory records, 10-23 to 10-27
 leaching fields, 10-37 to 10-39
 methods of disposing sewage
 effluents, 10-27 to 10-31
 mixed liquor suspended solids
 (MLSS) test, 10-23
 nutrients, 10-7
 odor, 10-4
 oxygen demand, 10-7
 parasites, 10-8
 patterns of flow, 10-3
 pH, 10-5 to 10-6
 physical characteristics, 10-3 to 10-5
 representative sampling, 10-8
 sample stowage, 10-12
 septic tanks, cesspools, and leaching
 fields, 10-32 to 10-39
 septic tanks, 10-32 to 10-34
 settleable solids test, 10-22
 sewage testing, 10-13 to 10-27
 sewage sampling, 10-8 to 10-13
 solids, 10-4 to 10-5
 source quantity variables, 10-2 to
 10-3
 sources of raw sewage, 10-1 to 10-3
 storm water, 10-2
 temperature, 10-3
 total suspended solids tests, 10-23
 toxic chemicals, 10-7 to 10-8
 troubleshooting, 10-30 to 10-31
 viruses, 10-8
 wastewater composition, 10-3
 Single-phase motors, 14-16
 capacitor-start induction-run, 14-16
 to 14-17
 capacitor-start, induction-run, 14-16
 permanent split-phase, 14-17
 split-phase, 14-17
 Single-phase hermetic motor windings
 and terminals, 14-16
 Sizing duct systems, 13-9 to 13-10
 Solar energy, 15-1
 Solar radiation, 15-1
 collecting solar energy, 15-1
 storage tanks, 15-12
 Solar collectors, 15-3

INDEX-8

- air system, 15-11
- covers, 15-3
- evacuated tube, 15-9
- flange plate, 15-9
- fluids, 15-5 and 15-7
- gaskets, 15-5
- hot-water system, 15-12
- thermosiphon systems, 15-12
- space heating systems, 15-12
- surfaces, 15-3
- types, 15-5
- water system, 15-11
- Sources of raw sewage, 10-1 to 10-3
 - domestic sewage, 10-1
 - industrial sewage, 10-1 to 10-2
 - patterns of flow, 10-3
 - source quantity variables, 10-2 to 10-3
 - storm water, 10-2
- Specific air quality requirements, 11-3 to 11-5
 - aircraft starting and cooling air, 11-4
 - air for pneumatic tools, 11-4
 - breathing air, 11-3 to 11-4
 - commercial air, 11-3
 - high-pressure air systems, 11-4 to 11-5
 - instrument and control air, 11-4
 - medical air, 11-4
- Specifications, 4-18 to 4-19
- Sprinkler system detection and indicating devices and fittings, 8-12 to 8-18
 - supervisory alarm initiating devices, 8-15 to 8-18
 - water-flow actuated detectors, 8-12 to 8-15
- Storm drainage systems, 7-9 to 7-10
 - installation considerations, 7-9
 - sizing building storm drains, 7-9 to 7-10
 - sizing site storm sewers, 7-10
- Surface water development, 9-7 to 9-10
- System classification, compressed air,

- 11-1 to 11-2
- high-pressure systems, 11-2
- low-pressure systems, 11-2
- medium-pressure systems, 11-2

T

- Treatment of CBR contamination, 9-21 to 9-27
- Troubleshooting hermetic electrical systems, 14-27 to 14-29
- Types of corrosion, 7-20 to 7-23
 - bacterial organisms, 7-23
 - compositional, 7-22
 - corrosion caused by electrolytes, 7-23
 - corrosion caused by non-electrolytes, 7-22 to 7-23
 - localized, 7-20 to 7-22
 - stress fatigue of metals, 7-22
 - uniform, 7-20
- Types of duct systems, 13-3 to 13-6
- Types of sprinklers, 8-9 to 8-12
 - combined, 8-9
 - dry pipe, 8-2 to 8-7
 - pre-action, 8-8 to 8-9
 - types of sprinkler systems, 8-2 to 8-9
 - water deluge, 8-7 to 8-8
 - wet pipe, 8-1

V

- Ventilation systems, 13-16 to 13-18
 - mechanical, 13-18
 - natural, 13-17 to 13-18

W

- Wastewater composition, 10-3
- Water and ground pollution, 16-1 to 16-2
- Water source selection, 9-1 to 9-6
 - source quantity, 9-1 to 9-5
 - source quality, 9-5 to 9-6
 - source reliability, 9-6
- Water supply requirements, 8-18
- Water supply systems, 7-10 to 7-19
 - piping and fitting general

- requirements, 7-17 to 7-19
 - sizing cold-water supply systems, 7-11
 - sizing hot-water supply systems, 7-11 to 7-17
- Water treatment and purification, 9-1 to 9-33
 - alternative water sources, 9-13 to 9-14
 - chemical characteristics of water, 9-16 to 9-19
 - chemical, biological, and radiological (CBR) contamination, 9-19 to 9-21
 - chemical contamination, 9-20
 - development of water sources, 9-7 to 9-14
 - disinfection, 9-30 to 9-32
 - dissolved gases, 9-18 to 9-19
 - distillation, 9-24 to 9-27
 - emergency treatment methods, 9-32 to 9-33
 - filtration, 9-27 to 9-30
 - groundwater development, 9-10 to 9-13

- hardness, 9-16 to 9-18
 - installation, 9-27
 - physical impurities, 9-14 to 9-16
 - radiological contamination, 9-21
 - reverse osmosis, 9-26 to 9-26A
 - source quality, 9-5 to 9-6
 - source quantity, 9-1 to 9-5
 - source reliability, 9-6
 - surface water development, 9-7 to 9-10
 - theory of operation, 9-25 to 9-27
 - treatment of CBR contamination, 9-21 to 9-27
 - water treatment equipment, 9-23 to 9-33
 - water contamination, 9-14 to 9-25
 - water source selection, 9-1 to 9-6
- Water treatment equipment, 9-25 to 9-33
 - disinfection, 9-30 to 9-32
 - distillation, 9-23 to 9-25
 - installation, 9-25
 - theory of operation, 9-25 to 9-27
 - emergency treatment , 9-32 to 9-33
 - filtration, 9-27 to 9-30
 - reverse osmosis, 9-26 to 9-26A
- Wiring diagrams, 4-7 to 4-8